Poly CCX 400 Business Media Phone for Microsoft Teams and PoE-enabled GSA/TAA





*Product image may differ from actual product

"Entry-level" just got sweeter

The Poly CCX 400 is an entry-level business phone that's easy to use. Its interface is simple and intuitive. And contacts and meetings are one swipe or one tap away on a color touch screen.

Sound your best

Hear every nuance with Poly HD Voice and Poly Acoustic Clarity technologies. Poly Acoustic Fence technology reduces distracting background noise and makes calling a pleasure.

Stylish, ultra-usable design

Enjoy the ergonomic design and the intuitive user touchscreen interface that saves you the hassle of learning new features and functions. When a phone is this easy, better collaboration and productivity aren't far behind.

Featuring

Audio clarity

Conversations stay clear with Poly HD Voice and Poly Acoustic Clarity technologies.

Distraction-free calls

Reduce distracting background noise with Poly Acoustic Fence technology.

Touchscreen controls

Contacts and meetings are easily accessible via the color touchscreen with 5" multi-touch LCD display.

IT friendly

Easy for IT to manage with provisioning and management of telephony deployment and support.

Optional wall mount

Wall mountable with optional CCX 400 wall mount kit sold separately.

Communications platforms

An IT manager's dream, this desk phone was created for communication and is optimized and certified to work with top virtual meeting providers.



Poly CCX 400 Business Media Phone for Microsoft Teams and PoE-enabled GSA/TAA





*Product image may differ from actual product

Specifications

Compatible with

Compatible operating systems: Android 12

Display

Aspect ratio: 9:16

Native resolution: 720 x 1280 Panel technology: Color LCD Display size (diagonal): 5"

Touch-enabled: Gesture-based, multi-touch capable

touchscreen

Connectivity and communications

External I/O ports:

1 USB 2.0 Type-A (for media and storage applications) 2 RJ-45 (10/100/1000BASE-TX Mbps)

User interface features

Languages: Arabic; Chinese; Czech; Danish; Dutch; English; French; German; Hungarian; Italian; Japanese; Korean; Norwegian; Polish; Portuguese; Romanian; Russian; Slovenian; Spanish; Swedish

Audio

Audio features:

Poly HD Voice

Poly Acoustic Clarity technology provides full duplex conversations, acoustic echo cancellation, and background noise suppression

Poly Acoustic Fence technology eliminates background noise when using a handset or wired headset

Poly NoiseBlockAl technology removes most background noise when using the speakerphone

TIA-920 wideband audio, type 1 compliant (IEEE 1329 full duplex)

Individual volume settings with visual feedback for each audio path

Voice activity detection

Comfort noise generation

DTMF tone generation (RFC 2833 and in-band)

Low delay audio packet transmission

Adaptive jitter buffers

Frequency response (microphone): 150 Hz to 7 kHz Audio codecs: G.711 (A-law and μ -law); G.722; G.722.1;

G.729AB; iLBC; OPUS

Other features

Special features: Unicode UTF-8 character support; Adjustable desk stand (2 positions)

Power supply

Power features:Built-in auto sensing IEEE 802.3af Power over Ethernet (Class 0)
13 W (maximum)²

Environmental

Certifications and compliances: AS/NZS 62368-1-17;
Australia RCM; Brazil ANATEL; CISPR22 Class B; EEA; CE
Mark; EN55024; EN55032 Class B; EN 62368-1; FCC Part 15
(CFR 47) Class B; IEC 60950-1 & IEC 62368-1; ICES-003 Class
B; Japan MIC/VCCI; NZ Telepermit; Saudi Arabia CITC; So.
Africa ICASA; So. Korea KC; UL 62368-1; VCCI Class B;
Canada ICES and NRTL; China RoHS 2.0; Indonesia SDPPI;
Mexico NYCE; Russia Customs Union

Operating humidity range: 5 to 95%
Operating temperature range: 32 to 104°F
Storage temperature range: -40 to 158 °F





Poly CCX 400 Business Media Phone for Microsoft Teams and PoE-enabled GSA/TAA

Specifications

opoomoationo	
	Temphony and self-handing-frederine
manufacture.	Stagling and of Smilling Salaries
334	Biograph (Autgali)
galantana,	(dispensal saling
	oderburity/fices
	Sphring and principle or stay of the stay
and the second s	Renal district heridan
And Named hope that agreement the affigure that design from the affigure that the af	Security qualificable
	windrightlyd hogourros
	Annual of the body process (see duling)
	OfradisonSignalist
	Anterodolphoda wanter er handad ayliya kalanda hadaanka
	Criticipus in Annier Connect Stanfor Structural Religions
	College shall a mental professional and a second state of the seco
	Officials double
	Majoliferatelline
	cellspotent solvicitud
The control of the co	Landworkship
alas rindaturujan	CNA-FOR CRIS TO STRIP
	Copyrilled States
	Off art was interesting different
	Milwaginia
MANAGEMENT OF THE PROPERTY OF	colmonology
with a monitorial for loss space	Land of Error By (Alling accompanied duplindar dum with digity
NAME OF THE PROPERTY OF THE PR	Associate discrete
AND CONTRACTOR CONTRAC	Name of the control o
magaman di Discontragio neglicospe	oranome
Andrews	Desired plays
	tractions
	helpsy superiodig
	landon
	Not water appy all a mind dissplace
	FindMinages
	Salany Standard grafts
	fashilate
	Seguijan arabidas
	STEPSER SACT WHITE
	Mara juminy Barkaning (SSRm)
	Newk
	Segunitralizativationis
	Newton Secretives on Navelland and State Secretives
	\$7000 Steer Transact Print Psycho



poly ● 整森企業有限公司 TRUESUN CO., LTD

Poly CCX 400 Business Media Phone for Microsoft Teams and PoE-enabled GSA/TAA

Footnotes

Messaging Footnotes

¹Visit https://www.poly.com/us/en/products/phones/ccx/ccx-400 for more detail.

Technical Specifications Footnotes

¹ Most software-enabled features must be supported by the service provider platform. Please contact your IP PBX/softswitch vendor or service provider for a list of supported features. ² External universal AC/DC adapter, 5 VDC, 3 A, 15 W (sold separately).

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

March 2025 us-en



Datasheet



TEL: 0800-800-945 FAX: (02)8935-2108 E-mail: service@truesun.com.tw 總公司: 新北市淡水區民權路187巷12號23F台北辦公室: 台北市中山區龍江路415巷48號1F